

## **ADVERTISEMENT FOR BIDS**

Notice is hereby given that sealed bids will be received by the Adams County Board of Supervisors for the purchase, from the lowest and best bidder, of the following items as needed, for the Adams County Road Department, for (3) Three New 2026 or Greater Tandem Axle 60,000 Dump Truck and for (2) Two New 2026 or Greater Single Axle 33,000 Dump Truck.

Bids must be received by 11:00 A.M., Thursday, August 7, 2025 at the County Administration Building, 314 State Street, Natchez, Mississippi, at which time bids will be opened.

Bids submitted with qualifications or exceptions will not be considered.

All bids are to be SEALED, PLAINLY ADDRESSED TO THE ADAMS COUNTY BOARD OF SUPERVISORS, and outside of envelope containing bids should be marked; "BID ON (# Item Bidding On)".

Bids may be hand delivered to 314 State Street, Natchez, Mississippi or mailed to the County Administration Building, Natchez, Mississippi 39120.

Bid prices are to be firm and not subject to change during the period specified above.

The Board of Supervisors reserves the right to waive informalities and to reject any and all bids.

DE'NEEN PRICE  
PURCHASE CLERK  
601-445-7941

PUBLICATION DATES:  
July 16, 2025  
July 23, 2025

Bid Opening: August 7, 2025

Specifications for (3) Three Tandem Axle 60,000 Dump Truck  
Adams County Road Department

Equipment offered for consideration must be new 2026 or greater. Used, demonstrator, or discounted models are unacceptable. Bidders shall include printed literature for the equipment offered.

The following specifications are considered minimum acceptable.

**ENGINE & EQUIPMENT**

New & Unused 2026

2.1m Conventional AirRide Cab

360 HP Engine or greater with turbo exhaust brake

1150 lb/ft Torque or greater

9 Liter Engine liter displacement or greater (no exceptions)

Oil cooler

18.7 air compressors or greater

Dry-type firewall mounted air cleaner with filter restriction indicator

Variable Speed fan hub

1000 sq/in Cooling module or greater

Radiator bug screen on back side of hood grill

Single vertical SOC tailpipe, RH with DPF/SCR right side under cab

Fleetguard filter/water separator

Engine block heater (120 volt minimum)

160 AMP Alternator brushtype

Three (3) batteries – 2100-2190 CCA dual purpose

12-Volt Starter

Battery disconnect switch

Jump Start Terminals mounted under hood

**TRANSMISSION & EQUIPMENT**

Allison 3000RDS series 6-speed automatic transmission

Heat exchanger

Oil level sensor

Transmission PTO Rear Support Spring(s)

2 Standard duty drivelines, 1 centerbearing

Torque converter

Park brake auto neutral

### **FRONT AXLE & EQUIPMENT**

20k or greater front axle, Dana Spicer SPCR D2000 or equal Meritor Brand

Front Brake: Cast 16.5x6" 22k or greater

Front oil seals

Front slack adjusters

20k. or greater Taperleaf front springs

Front shock absorbers

Dual gear power steering 18/20k

### **REAR AXLE & EQUIPMENT**

40,000 lb. Rear axle, or greater

Rear Brakes: 16 1/2" x 7" , 46k or greater

Rear slack adjusters & Diff Locks

Rear oil seals

Single spring brake 3030

Bendix 4S/4M Anti-lock brake system

40k. Chalmers dual suspension (no exceptions)

### **TIRES & WHEELS**

Front tires: 315/80R22.5 20PR

Rear tires: 11R22.5 16PR

Front wheels: 22.5x9 Alum Wheels

Rear wheels: 22.5x8.25 Alum wheels

### **FRAME & EQUIPMENT**

Frame Rails: 10 3/4" x 3/8" STL 285-336"

RBM: 2,132,000 lbs or greater

120,000 PSI Yield steel

Section modulus: 17.80 in<sup>3</sup>

Aerodynamic Chrome Bumper

Two removable front tow hooks

## **FUEL TANK(S) & EQUIPMENT**

80 Gallon minimum or greater aluminum fuel tank (no exceptions)

Minimum of 15 Gallon DEF tank

## **CAB & EQUIPMENT**

Full Aluminum Cab (no exemptions) for weight saving purposes

Heater with integral defroster and A/C

Adjustable telescoping tilt steering column w/smart wheel (no exceptions)

One-Piece Windshield (for safety purposes- unbroken vision)

Dash mounted air filter restriction gauge

Transmission oil temperature gauge

Tachometer

Fuel gauge

Engine coolant temperature gauge

Engine oil pressure gauge

Voltmeter

Engine hour meter

Primary and secondary air restriction gauges

DEF fluid level gauge

Air driver HB seat w/dual armrests

Air Passenger HB seat

AM/FM/WB/USB/BT Radio Must have Bluetooth

Cab access grab handles, LH & RH

Daylight doors

Air horn; Dual LH/RH Roof Mounted

Heated mirrors

Electric LH/RH door window

Single halogen headlights

Exterior Stainless steel sun visor

Fender mounted turn signal lights

Polyswitches replace fuses

Bendix AD-HF air dryer, heated; mounted RH rail back of cab

Moisture drain valve with pull cable drain

Full Truck Kit (no exceptions)

5-year Truck-tech remote diagnostic program subscription included in bid price or equivalent remote diagnostic program – must be able to monitor 800 or more fault codes to include the engine and aftertreatment -**No exceptions**

## **PAINT**

Color: White cab with black body or county approved

## **BODY SPECIFICATIONS**

Yardage 17/19

Body Style Stampede (no exceptions)

Body Length 15'

Front Height 56

Side Height Front 48

Side Height Rear 48

Rear Height 50

Board Holder Height: NO BOARD HOLDERS

Material: PLATE-1/4- AR450 material for side, front, tailgate and floor no exceptions

Skirt Material: SHEET-7GA-A36

Tarp System

Pintle Hook (tow package with glad hands)

Vibrator (no exceptions)

Air Tailgate kit (no exceptions)

Paint: Color Match Cab

Full Truck kit – with glad hands at the rear (towing package).

\*All Trucks must have capability to hook to county pendulum trailers.

## **WARRANTY**

Warranty for the duration of the lease, including any and all travel time and millage

Must include:

- Engine and Aftertreatment
- Transmission
- Base Vehicle

## **BUYBACK**

The guaranteed buy back provision at the end of (3) year will be a factor in determining the lowest and best bid.

## **OTHER**

\*Delivery will be a consideration factor to establish the lowest and best bid pursuant to Mississippi Code 31-7-13 section d.

Must be delivered before October 1, 2025

-Delivery Estimate-\_\_\_\_\_.

\*Bidder shall have a certified parts and service center located within 50 miles of Natchez, MS Adams County or have mobile service capability. There will be no travel charge for mobile service.

\*Cost must include delivery to one of the county barns

Specifications for (2) Two Single Axle 33,000 Dump Truck  
Adams County Road Department

Equipment offered for consideration must be new 2026 or greater. Used, demonstrator, or discounted models are unacceptable. Bidders shall include printed literature for the equipment offered.

The following specifications are considered minimum acceptable.

**ENGINE & EQUIPMENT**

New & Unused 2026

**2.1 Conventional Air Ride Cab**

Wet sleeve engine w/300 HP or greater with turbo exhaust brake

1000lb/ft Torque or greater

Oil cooler

18.7 air compressors or greater

Air cleaner: composite engine mounted

Fan Hub: on/Off

1000 sq/in cooling module or greater

Radiator bug screen on back side of hood grill

Horizontal or Vertical Series Exhaust

2 spare switches wired to power

Battery disconnect switch

Fleetguard filter/water separator

Engine block heater (120 volt minimum)

160 AMP alternator

Three (3) batteries- 2100-2190 CCA dual purpose

12- Volt light system with circuit protection

12-Volt starter

Jump start terminals under hood

**TRANSMISSION & EQUIPMENT**

Transmission PTO rear support spring (s)

Driveline 2 Dana Spicer 1710, 1 center bearing or equal

Torque converter

Park brake auto neutral

## **FRONT AXLE & EQUIPMENT**

12k or greater front axle, Dana Spicer or equal Meritor brand

16 ½" x 5" Cast drum brakes

Aluminum 10-bolt hub pilot LMS hubs with hub caps

Front hubcaps vented

Front slack adjusters

Front springs: Monoleaf 12k

Front shock absorbers

Single gear power steering

## **REAR AXLE & EQUIPMENT**

21k or greater rear axle

Rear axle ratio: 5.57

16 ½" x 7" cast drum brakes

Iron 10-bolt hub pilot hubs

Rear slack adjusters

Diff Locks no exceptions

Single spring brake 3030

Bendix 4S/4M Anti-lock brake system

23k rear suspension or greater with helper springs

## **TIRES & WHEELS**

Front tires: 11R22.5 16PR

Rear tires: 11R22.5 16PR

Front wheels: Aluminum Wheels

Rear wheels: Aluminum Wheels

## **FRAME & EQUIPMENT**

10 5/8" x 5/16" Steel frame

1,776,000 RBM or greater

Section modulus: 14.80 in

Aerodynamic bumper, painted

Two removable front tow hooks

## **FUEL TANK(S) & EQUIPEMENT**

80 Gallon minimum or greater aluminum fuel tank

Minimum of 15 Gallon DEF tank; LH mount no exceptions

## **CAB & EQUIPMENT**

Full Aluminum Cab

Heater with integral defroster and A/C

Adjustable telescoping tilt steering column (no exception)

Smart steering wheel

Dash mounted air filter restriction gauge

Transmission oil temperature gauge

Tachometer

Fuel gauge

Engine coolant temperature gauge

Engine oil pressure gauge

Voltmeter

Engine hour meter

Primary and secondary air restriction gauges

DEF fluid level gauge

Air driver seat

Passenger seat with toolbox

AM/FM/ WB/USB/BT radio must have Bluetooth

Cab access grab handles, LH & RH

Daylight doors

Air horn; LH top of room mount

LH and RH power windows Dual halogen headlights

Exterior Stainless steel sun visor

Fender mounted turn signal lights

Circuit breakers replacing all but 5-amp fuses

Bendix AD-HF air dryer, heated

Moisture drain valve with pull cable drain

5-year Truck-tech remote diagnostic program subscription included in bid price or equivalent remote diagnostic program- must be able to monitor 800 or more fault codes to include the engine and aftertreatment- **No exceptions**

**PAINT**

Color: white cab with black body or county approved

**BODY SPECIFICATIONS**

9-10 cubic yards

Body length 12'

Front height 56"

Side height 30"

Side height rear 30"

Rear height 38"

Side material, sheet 10GA-A36

Front material, sheet 10GA-A36

Tailgate material, sheet 7GA-A3

Floor material, sheet 3/16-A36

Cab shield style, narrow & centered

Cab shield projection 36

Cab shield projection 72

Mountain Tarp style

Standard Tailgate

Heavy Duty dump apron

Lower Front side light cutouts

Board holder height 8

Black paint color

Auto Transmission PTO

Back up alarm

Air tailgate

Aluminum skirts

Body vibrator (no exceptions)

Full truck kit including pintle hitch

\*All Trucks must have capability to hook to county pendulum trailers.

## **WARRANTY**

Warranty for the duration of the lease, including any and all travel time and millage

Must include:

- Engine and Aftertreatment
- Transmission
- Base Vehicle

## **BUYBACK**

The guaranteed buy back provision at the end of a (3) year will be a factor in determining the lowest and best bid.

## **OTHER**

\*Delivery will be a consideration factor to establish the lowest and best bid pursuant to Mississippi Code 31-7-13 section d.

Must be delivered before October 1, 2025

- Delivery Estimate \_\_\_\_\_

\*Bidder shall have a certified parts and service center located within 50 miles of Natchez, MS Adams County or have mobile service capability. There will be no travel charge for mobile service.

\* Cost must include delivery to one of the county barns